Index of Authors

ARTHUR, DON. R. The immature stages of *Ixodes tatei* Arthur (Ixodidae). (With 12 Figures in the Text), 165

ARTHUR, DON. R. and SNOW, KEITH R. *Ixodes pacificus* Cooley and Kohls, 1943: Its life-history and occurrence. (With 5 Figures in the Text), 893

AWACHIE, J. B. E. On the bionomics of *Crepidostomum metoecus* (Braun, 1900) and *Crepidostomum farionis* (Müller, 1784) (Trematoda: Allocreadiidae). (With 3 Figures in the Text), 307

BAKER, R. A. Aspects of the biology of the slug mite, *Riccardoella limacum* (Schrank), 11P

BARON, P. J. On the histology and ultrastructure of *Cysticercus longicollis*, the cysticercus of *Taenia crassiceps* Zeder, 1800, (Cestoda Cyclophyllidea). (With 3 Plates and 6 Figures in the Text), 497

BARRETT, J. The effect of temperature on the development and survival of the infective larvae of *Strongyloides ratti* Sandground 1925. (With 4 Figures in the Text), 641

BARRETT, J. The physiology of the infective larvae of *Strongyloides ratti*, 12P

BASCH, PAUL F. *See* CANNING, ELIZABETH U.

BASSILY, S., WISSA, J., FARID, Z. and KENT, D. C. Bell's quantitative egg-count technique in evaluating results of treatment of schistosomiasis, 9P

BEESLEY, W. N. and PETERS, W. Anti-vector and anti-malarial action of certain chemicals, 10P

BHAIBULAYA, MANOON. A new species of *Angiostrongylus* in an Australian rat, *Rattus fuscipes*. (With 4 Figures in the Text), 789

BITAKARAMIRE, P. K. *Lymnaea natalensis* laboratory culture and production of *Fasciola gigantica* metacercariae, 653

BIRDWELL, T. L. *See* VAN PEENEN, P. F. D.

BOISVENUE, R. J., HENDRIX, J. C. and SCHOLZ, N. E. A larvicidal evaluation programme using *Ascaris suum* in mice. (With 2 Figures in the Text), 465

BRAY, R. S. Skin hypersensitivity in leishmaniasis, 24P

BROOKER, B. E. Ingestion and digestion of extra-cellular material by *Crithidia fasciculata*, 23P

BROOMFIELD, K. E. *See* FOSTER, R.

BROWN, I. N. *See* BROWN, K. N. *et al.*

BROWN, I. N., BROWN, K. N., TRIGG, P. I. and PHILLIPS, R. S. The effect of antiserum on the erythrocytic stage of *Plasmodium knowlesi in vivo* and *in vitro*, 17P

BROWN, K. N. *See* BROWN, I. N. *et al.*

BROWN, K. N., BROWN, I. N. and TRIGG, P. I. Immunization against *Plasmodium knowlesi*: studies on the mode of action of Freund's adjuvant in stimulating protection, 18P

BRUCE, R. G. The structure and function of the rostellum, scolex and neck-region of *Hymenolepis* spp. 16P

BURT, D. R. R. On the adhesive organ of *Macraspis elegans* Olsson, 1869 (Aspidogastrea), 13P

BUTTERWORTH, P. E. Aspects of the nutrition of *Polymorphus minutus* during its development, 3P

CALLOW, L. L. The infection of *Boophilus microplus* with *Babesia bigemina*, 663

CANNING, ELIZABETH U. and BASCH, PAUL F. *Perezia helminthorum* sp.nov., a microsporidian hyperparasite of trematode larvae from Malaysian snails. (With 2 Plates), 341

CHARLES, G. H. and ORR, T. S. C. Some aspects of the fine structure of the pseudophyllid coracidium and early procercoid, 15P

CHENG, THOMAS C. *See* THAKUR, AMAR S.

CHENG, THOMAS C. and YEE, HERBERT W. F. Histochemical demonstration of amino-peptidase activity associated with the intramolluscan stages of *Philophthalmus gralli* Mathis & Léger. (With 1 Plate), 473

CLARKE, KAREN R. The effect of a low protein diet and a glucose and filter paper diet on the course of infection of *Nippostrongylus brasiliensis* (With 3 Figures in the text), 325

CHUBB, J. C. Tapeworms of the genus *Diphyllobothrium* in the British Isles, 22P

CLEGG, J. A. *See* RAI, S. L.

CLEGG, J. A. and SMITHERS, S. R. Death of schistosome cercariae during penetration of the skin. II. Penetration of mammalian skin by *Schistosoma mansoni*. (With 2 Plates and 1 Figure in the Text), 111

COLAM, J. B. Some observations on the nutrition of four species of nematode, 3P

CONNAN, R. M. The post-parturient rise in sheep, 8P

COX, F. E. G. and YOUNG, A. S. Protective cross immunity between *Babesia microti* and *B. rodhaini* in mice, 24P

CROMPTON, D. W. T. and WHITFIELD, P. J. A hyptohesis to account for the anterior migrations of adult *Hymenolepis diminuta* (Cestoda) and *Moniliformis dubius* (Acanthocephala) in the intestine of rats. (With 3 Figures in the Text), 227

CROMPTON, D. W. T. and WHITFIELD, P. J. The course of infection and egg production of *Polymorphus minutus* (Acanthocephala) in domestic ducks. (With 10 Figures in the Text), 231

DAVIES, E. H. Rhaphidascarid infections in the fish of the River Lugg, a tributary of the River Wye, Herefordshire, 22P

DENNY, M. The life-cycle and ecology of *Polymorphus marilis* Van Cleave, 1939, 23P

DERMOTT, E. *See* HALTON, D. W.

DERMOTT, F. Electron microscopy of the intestinal epithelium of *Fasciola hepatica*, 25P

DINNIK, J. A. and SACHS, R. A gigantic *Protostrongylus*, *P. africanus* sp.nov., and other lung nematodes of antelopes in the Serengeti, Tanzania. (With 4 Figures in the Text), 819

DONALD, A. D. Population studies on the infective stage of some nematode parasites of sheep. III. The distribution of strongyloid egg output in flocks of sheep, 951

DOW, C., ROSS, J. G. and TODD, J. R. The histopathology of *Fasciola hepatica* infections in sheep. (With 1 Plate), 129

DOWDING, VALERIE, M. The formation of the cuticular ridges in the larval pharynx of the blowfly (*Calliphora vicina* R.-D.). (With 7 Figures in the Text), 683

ELLENBY, C. On the waterproofing function of the retained second stage cuticle of the 3rd stage larva of *Haemonchus contortus*, 3P

ERASMUS, DAVID A. The host parasite interface of *Cyathocotyle bushiensis* Khan, 1962 (Trematoda: Strigeoidea). III. Electron microscope observations on non-specific phosphatase activity. (With 1 Plate), 371

ESCH, GERALD W. Studies on carbohydrates in tissues and coenurus fluid of larval *Taenia multiceps* from normal and alloxanized mice, 619

EVANS, W. S. A surgical technique for testing *in vitro* treatments of *Hymenolepis nana*, 25P

FARID, Z. *See* BASSILY, S.

FERNANDO, S. T. Immunological response of rabbits to *Toxocara canis* infection. (With 1 Plate and 5 Figures in the Text), 91

FERNANDO, S. T. Immunological response of the hosts to *Toxocara canis* (Werner, 1782) infection. I. Effect of superinfection on naturally infected puppies. (With 3 Figures in the Text), 547

FOSTER, R. and BROOMFIELD, K. E. Courses of infection by an East African strain of *Schistosoma mansoni* in monkeys, 11P

GAMMAGE, KENNETH *See* HAWKING, FRANK

GAMMAGE, K. *See* WORMS, M. J.

GEMMELL, D. K. Life-history studies on *Proteocephalus*, 26P

GINGER, C. D. *See* OGILVIE, B. M.

HALTON, D. W., MORRIS, G. P. and DERMOTT, E. Aspects of nutrition in the monogenetic trematode *Diclidophora merlangi*, 4P

HARRY, L. Some aspects of the ultrastructure of the reproductive system of *Apatemon gracilis*, 26P

HAWKING, F. *See* WORMS, M. J.

HAWKING, FRANK and GAMMAGE, KENNETH. The action of serotonin (5-hydroxytryptamine) *in vivo* upon the microfilariae of *Dirofilaria*, *Loa* and five other species. (With 6 Figures in the Text), 393

HAYNES, W. D. G. The completion of the life-cycle in *Taenia crassiceps*, 25P

HAYNES, W. D. G. and TAYLOR, ANGELA E. R. Studies on the absorption of amino acids by larval tapeworms (Cyclophyllidea: *Taenia crassiceps*). (With 10 Figures in the Text), 47

HENDRIX, J. C. *See* BOISVENUE, R. J.

HOCKLEY, DAVID J. Small spines on the egg shells of *Schistosoma*. (With 2 Plates), 367

HOCKLEY, D. J. The surface of *Schistosoma mansoni*, 25P

HOCKLEY, D. J. *See* OGILVIE, B. M.

HOGARTH-SCOTT, R. S. Naturally occurring antibodies to the cuticle of nematodes. (With 1 Plate and 1 Figure in the Text), 221

HOOPER, D. J. *See* WEBSTER, J. M.

HOPKINS, C. A. Sharing breakfast with a tapeworm, 1P

HORTON-SMITH, C., LONG, P. L. and LEE, D. L. Observations on the tissue and post-tissue larval development of *Ascaridia dissimilis* Vigueras 1931, and a comparison with that of *Ascaridia galli*, in turkeys. (With 1 Plate), 709

HOWELL, M. J. The life-cycle of *Echinoparyphium serratum* sp.nov. (Digenea: Echinostomatidae). (With 8 Figures in the Text), 573

HOWELL, M. J. Excystment and *in vitro* cultivation of *Echinoparyphium serratum*. (With 1 Plate and 5 Figures in the Text), 583

HOWELLS, R. E., THOMAS, A. E. and PETERS, W. Morphological changes associated with drug resistance in malarial parasites, 5P

HUDSON, K. M. Natural immunity of the cotton rat (*Sigmodon hispidus*) to *Trypanosoma vivax*, 26P

HUMPHRIES, DAVID A. The host-finding behaviour of the hen flea, *Ceratophyllus gallinae* (Schrank) (Siphonaptera). (With 7 Figures in the Text), 403

IRWIN, S. An electron microscope study of the formation of vitelline cells in *Fasciola hepatica*, 26P

JACOBS, D. E. and TOD, M. E. Biological mechanisms for the dispersion of *Oesophagostomum* larvae, 25P

JARRETT, W. F. H. *See* JARRETT, ELLEN, E. E.

JARRETT, ELLEN E. E., JARRETT, W. F. H. and URQUHART, G. M. Quantitative studies on the kinetics of establishment and expulsion of intestinal nematode populations in susceptible and immune hosts. *Nippostrongylus brasiliensis* in the rat. (With 5 Figures in the Text), 625

JENKINS, D. CONWIL. Observations on the early migration of the larvae of *Ascaris suum* Goeze, 1782 in white mice. (With 1 Plate and 3 Figures in the Text), 431

JENKINS, D. C. Ultrastructural and histochemical observations on the development of the migrating larva of *Ascaris suum*, 26P

JENKINSON, J. A. Ultrastructural observations on cyst formation in an echinostome cercaria, 26P

JOHNSON, PAULINE *See* NEAL, R. A.

JONES, VALERIE E. *See* OGILVIE, BRIDGET M.

JOYNER, L. P. The recovery of infective forms of *Theileria parva* from infected *Rhipicephalus appendiculatus*, 20P

JOYNER, L. P. *See* PURNELL, R. E.

JOYNER, L. P. and PURNELL, R. E. The feeding behaviour on rabbits and *in vitro* of the Ixodid tick *Rhipicephalus appendiculatus* Neumann, 1901. (With 3 Figures in the Text), 715

KEARN, G. C. The development of the adhesive organs of some diplectanid, tetraonchid and dactylogyrid gill parasites (Monogenea). (With 17 Figures in the Text), 149

KEARN, G. C. The larval development of *Merizocotyle* sp., a monocotylid monogenean from the nasal fossae of *Raia undulata*. (With 2 Figures in the Text), 921

KENT, D. C. *See* BASSILY, S.

KHATOON, N. Ultrastructural observations on *Cosmocerca ornata*, 25P

KIM, KE CHUNG. Two new species of the sucking lice (Haplopleuridae, Anoplura) from *Rattus* (Muridae, Rodentia) in Thailand. (With 17 Figures in the Text), 701

KING, D. F. A quantitative method for the culture of the mite *Ornithonyssus bacoti* and for the routine transmission of *Litomosoides carinii* to *Praomys natalensis*, 11P
KING, D. F. *See* PRINGLE, G.
KIRKWOOD, A. C. Artificial feeding of the poultry red mite, *Dermanyssus gallinae*, 25P
KRISHNA PILLAI, N. Additions to the copepod parasites of South Indian fishes (With 12 Figures in the Text), 9
KRISHNAMURTHY, R. A new flagellate of the genus *Proteromonas* Kunstler, 1883, from an Indian lizard. (With 9 Figures in the Text), 531
KUNTZ, ROBERT E. *See* SCHMIDT, GERALD D.

LAVOIPIERRE, M. M. J. and RAJAMANICKAM, C. The skin reactions of two species of Southeast Asian Chiroptera to notoedrid and teinocoptid mites. (With 2 Plates and 9 Figures in the Text), 515
LEE, D. L. Changes in *Nippostrongylus brasiliensis* during the development of immunity in the rat, 24P
LEE, D. L. *See* HORTON-SMITH, C.
LEE, D. L. and LONG, P. L. The structure and method of feeding of *Histomonas meleagridis*, 24P
LONG, P. L. The pathogenic effects of *Eimeria praecox* and *E. acervulina* in the chicken. (With 5 Figures in the Text), 691
LONG, P. L. *See* HORTON-SMITH, C.
LONG, P. L. *See* LEE, D. L.
LUCKINS, A. G. The effect of immunosuppressants on the course of infection with *brucei* complex trypanosomes, 19P
LYONS, K. M. A comparison of the adult epidermis of some monogeneans: the development of the outer layer in *Entobdella soleae*, 14P

MAWSON, PATRICIA M. *Inglisonema typos* gen.nov., sp.nov., (Nematoda: Seuratoidea: Inglisonematinae, subfam. nov.) from an Australian bird. (With 8 Figures in the Text), 71
MAWSON, PATRICIA M. Two species of Nematoda (Spirurida: Spiruridae) from Australian dasyurids. (With 11 Figures in the Text), 75
MAWSON, PATRICIA M. Nematodes from Australian waders. (With 76 Figures in the Text), 277
MAWSON, PATRICIA M. A new genus, *Alainchabaudia* (Nematoda: Spirurinae), from coraciform birds in Australia. (With 11 Figures in the Text), 741
MAWSON, PATRICIA M. Habronematinae (Nematoda: Spiruridae) from Australian birds. (With 57 Figures in the Text), 745
MCCONNACHIE, ELSPETH W. The growth of an axenic strain of *Entamoeba invadens* in different media. (With 4 Figures in the Text), 733
MCLAREN, DIANA J. and PAGET, G. E. A fine structural study on the merozoite of *Eimeria tenella* with special reference to the conoid apparatus. (With 4 Plates and 1 Figure in the Text), 561
MCLAREN, D. The fine structure of the conoid apparatus of the merozoite of *Eimeria tenella*, 24P
MCVICAR, A. *See* WILLIAMS, H. HARFORD.
METTRICK, D. F. Studies on the protein metabolism of cestodes. 2. Effect of free dietary amino acid supplements on the growth of *Hymenolepis diminuta*, 37
MIKHAIL, J. W. A helminthological survey of Egyptian small mammals, 24P
MICHEL, J. F. Observations on the loss of *Dictyocaulus filaria* from the lungs of experimentally infected lambs, 8P
MOLYNEUX, D. H. The trypanosomes of *Microtus agrestis* and *Clethrionomys glareolus*, 6P
MOORHOUSE, D. E. *See* TATCHELL, R. J.
MORRIS, G. P. Ultrastructure and histochemistry of the absorptive surfaces of *Schistosoma mansoni*, 25P
MORRIS, G. P. *See* HALTON, D. W.
MOSS, G. D. Nitrogen excretion in *Fasciola hepatica*, 12P
MULLER, R. L. Experimental dracontiasis in animals, 7P

NEAL, R. A. and JOHNSON, PAULINE. The virulence to rats of five *Entamoeba histolytica*-like strains capable of growth at 25 °C and attempts to discover similar strains, 599

NEEDHAM, E. A. *Trypanosoma tincae*, parasite of the tench *Tinca tinca*, 24P
NEGUS, MICHAEL, R. S. The nutrition of sporocysts of the trematode *Cercaria doricha* Rothschild, 1935 in the molluscan host *Turritella communis* Risso. (With 1 Plate and 4 Figures in the Text), 355
NELSON, G. S. The significance of strain variation in the epidemiology of helminth infections, 26P
NIELAND, M. L. and WEINBACH, E. C. The bladder of *Cysticercus fasciolaris*: electron microscopy and carbohydrate content. (With 4 Plates and 1 Figure in the Text), 489

ODHIAMBO, THOMAS R. Growth, longevity, and the frequency of feeding of *Glossina pallidipes* Austen. (With 9 Figures in the Text), 801
OGILVIE, BRIDGET M. and JONES, VALERIE, E. Passive protection with cells or antiserum against *Nippostrongylus brasiliensis* in the rat. (With 4 Figures in the Text), 939
OGILVIE, B. M., HOCKLEY, D. J. and GINGER, C. D. Biological, biochemical and morphological changes in *Nippostrongylus brasiliensis* adult worms from immune rats, 1P
OLLERENSHAW, C. B. Some observations on the life-cycle of *Fasciola hepatica* in Wales, 1958–66, 24P
ORR, T. S. C. *Schistocephalus solidus* in the three- and nine-spined stickleback, 21P
ORR, T. S. C. *See* CHARLES, G. H.

PAGET, G. E. *See* MCLAREN, DIANE J.
PALING, J. E. The biology of the fish louse, *Argulus foliaceus* (Film), 24P
PEARSON, J. C. Observations on the morphology and life-cycle of *Paucivitellosus fragilis* Coil, Reid & Kuntz, 1965 (Trematoda: Bivesiculidae). (With 14 Figures in the Text), 769
VAN PEENEN, P. F. D. and BIRDWELL, T. L. Coccidian parasites of the California Banded King Snake, *Lampropeltis getulus californiae*. (With 6 Figures in the Text), 349
PETERS, W. *See* BEESLEY, W. N.
PETERS, W. *See* HOWELLS, R. E.
PHILLIPS, R. S. The isolation of a population of *Babesia rodhaini* resistant to pools of immune serum, 19P
PHILLIPS, R. S. *See* BROWN, I. N.
PIKE, ALAN W. Observations on the life-cycle of *Psilotrema oligoon* (Linstow, 1887) Odhner, 1913, and on the larval stages of two other psilostome trematodes (With 6 Figures in the Text), 171
PRINGLE, G. and KING, D. F. A preliminary report on the efficiency of the multi-mammate rat *Praomys natalensis*, as an experimental host for the filarial worm *Litosomoides carinii*, 25P
PURNELL, R. E. and JOYNER, L. P. The development of *Theileria parva* in the salivary glands of the tick, *Rhipicephalus appendiculatus*. (With 1 Plate and 1 Figure in the Text), 725
PURNELL, R. E. *See* JOYNER, L. P.

RAI, S. L. and CLEGG, J. A. Death of schistosome cercariae during penetration of the skin. I. Penetration of bird skin by *Austrobilharzia terrigalensis*. (With 1 Plate and 1 Figure in the Text), 199
RAJAMANICKAM, C. *See* LAVOIPIERRE, M. M. J.
REES, GWENDOLEN. *Macrolecithus papilliger* sp.nov. (Digenea: Allocreadiidae, Stossich, 1904) from *Phoxinus phoxinus* (L.) Morphology, histochemistry and egg capsule formation. (With 23 Figures in the Text), 855
RIORDAN, K. Chromosomes of the tsetse fly, *Glossina palpalis* R.-D. (With 1 Plate), 835
ROGERS, W. P. Neurosecretory granules in the infective stage of *Haemonchus contortus*. (With 2 Plates and 1 Figure in the Text), 657
ROSE, M. ELAINE. The effect of splenectomy upon infection with *Eimeria tenella*, 481
ROSE, J. H. The species of gastro-intestinal nematodes of cattle in S.E. England, their incidence and significance in relation to parasitic gastro-enteritis, 24P
ROSS, J. G. *See* DOW, C.
RYLEY, J. F. Chick embryo infections for the evaluation of anticoccidial drugs, 215

SACHS, R. *See* DINNIK, J. A.
SCHANZEL, H. The use of radio-iron in *Eimeria tenella* studies 25P

SCHMIDT, GERALD D. *Chevreuxia americana* sp.nov. (Nematoda: Acuariidae) from the avocet, *Recurvirostra americana*, in Colorado. (With 5 Figures in the Text), 831
SCHMIDT, GERALD D. and KUNTZ, ROBERT E. Nematode parasites of Oceanica. IV. Oxyurids of mammals of Palawan, P.I., with descriptions of four new species of *Syphacia*. (With 16 Figures in the Text), 845
SCHOLZ, N. E. *See* BOISVENUE, R. J.
SEIFERT, G. W., SPRINGELL, P. H. and TATCHELL, R. J. Radioactive studies on the feeding of larvae, nymphs, and adults of the cattle tick, *Boophilus microplus* (Canestrini). (With 3 Figures in the Text), 415
SINGH, K. R. P. Description of the nymph and the larva of *Nosomma monstrosum* (Nuttall & Warburton, 1908). (With 4 Figures in the Text), 461
SEWELL, M. M. H. Studies on the metabolic products of *Fasciola hepatica*, 2P
SLOAN, J. E. N. Liver fluke in cattle in England and Wales, 1948–67, 25P
SMITHERS, S. R. *See* CLEGG, J. A.
SNOW, KEITH R. *See* ARTHUR, DON. R.
SPRENT, J. F. A. Notes on *Ascaris* and *Toxascaris*, with a definition of *Baylisascaris* gen.nov. (With 1 Plate), 185
SPRINGELL, P. H. *See* SEIFERT, G. W.

TATCHELL, R. J. and MOORHOUSE, D. E. The feeding processes of the cattle tick *Boophilus microplus* (Canestrini). Part II. The sequence of host-tissue changes. (With 2 Plates and 1 Figure in the Text), 441
TATCHELL, R. J. *See* SEIFERT, G. W.
TAYLOR, ANGELA E. R. *See* HAYNES, W. D. G.
TAYLOR, E. W. *See* THOMAS, J. N.
TAYLOR, E. W. and THOMAS, J. N. Membrane (contact) digestion in the three species of tapeworm *Hymenolepis diminuta*, *Hymenolepis microstoma* and *Moniezia expansa*. (With 3 Figures in the Text), 535
THAKUR, AMAR S. and CHENG, THOMAS C. The formation, structure, and histochemistry of the metacercarial cyst of *Philophthalmus gralli* Mathis & Léger. (With 1 Plate and 2 Figures in the Text), 605
THEODOR, OSKAR. New species and new records of Nycteribiidae from the Ethiopian, Oriental and Pacific Regions. (With 62 Figures in the Text), 247
THOMAS, A. E. *See* HOWELLS, R. E.
THOMAS, J. N. *See* TAYLOR, E. W.
THOMAS, J. N. and TAYLOR, E. W. The occurrence of membrane (contact) digestion in cestodes, 25P
THREADGOLD, L. T. The tegument and associated structures of *Haplometra cylindracea*. (With 2 Plates and 1 Figure in the Text), 1
TODD, J. R. *See* DOW, C.
TOD, M. E. *See* JACOBS, D. E.
TRIGG, P. I. *See* BROWN, I. N.
TRIGG, P. I. *See* BROWN, K. N.
TRIGG, P. I. Cultivation of malaria parasites: the effect of the gas phase and exogenous lipids, 6P
TURTON, J. *Hymenolepis diminuta in vitro* and *in vivo*, 13P

URQUHART, G. M. *See* JARRETT, ELLEN E. E.

VICKERMAN, K. The surface coat of trypanosomes, 24P

WADDELL, A. H. The excretory system of the kidney worm *Stephanurus dentatus* (Nematoda). (With 4 Plates and 6 Figures in the Text), 907
WALLACE, H. R. Undulatory locomotion of the plant parasitic nematode *Meloidogyne javanica*. (With 2 Plates and 7 Figures in the Text), 377
WALLIKER, D. Studies on *Myxidium oviforme*, a myxosporidan parasite of Irish salmon. (With 2 Figures in the Text), 839
WARHURST, D. C. and WILLIAMSON, J. Electrophoretic fractionation of RNA from *Plasmodium knowlesi*: changes in RNA species after chloroquine treatment, 5P

WARREN, E. W. Vitamin requirements of the *Coccidia* of the chicken (With 4 Figures in the Text), 137

WEBSTER, J. M. and HOOPER, D. J. Serological and morphological studies on the inter- and intraspecific differences of the plant-parasitic nematodes *Heterodera* and *Ditylenchus*. (With 2 Plates and 5 Figures in the Text), 879

WEINBACH, E. C. *See* NIELAND, M. L.

WHITFIELD, P. J. A histological description of the uterine bell of *Polymorphus minutus* (Acanthocephala). (With 9 Figures in the Text), 671

WHITFIELD, P. J. *See* CROMPTON, D. W. T.

WILES, MICHAEL. The occurrence of *Diplozoon paradoxum* Nordmann, 1832 (Trematoda: Monogenea) in certain waters of northern England and its distribution on the gills of certain Cyprinidae. (With 1 Figure in the Text), 61

WILLIAMS, H. HARFORD. *Acanthobothrium quadripartitum* sp.nov. (Cestoda: Tetraphyllidea) from *Raja naevus* in the North Sea and English Channel. (With 1 Plate and 6 Figures in the Text), 105

WILLIAMS, H. HARFORD. *Phyllobothrium piriei* sp.nov. (Cestoda: Tetraphyllidea) from *Raja naevus* with a comment on its habitat and mode of attachment. (With 14 Figures in the Text), 929

WILLIAMS, H. HARFORD and MCVICAR, A. Aspects of the biology of tetraphyllidean cestodes, 20P

WILLIAMSON, J. *See* WARHURST, D. C.

WILSON, R. A. The hatching mechanism of the egg of *Fasciola hepatica* L. (With 1 Plate and 1 Figure in the Text), 79

WISSA, J. *See* BASSILY, S.

WORMS, M. J., HAWKING, F. and GAMMAGE, K. Cyclic development in malaria gametocytes, 17P

YEE, HERBERT W. F. *See* CHENG, THOMAS C.

YOUNG, A. S. *See* COX, F. E. G.

Index of Subjects

Acanthobothrium quadripartitum, sp.nov., cestode parasite in *Raja naevus*, 105
Alainchabaudia, a new genus of Nematoda from birds in Australia, 741
Angiostrongylus, a new species of, from an Australian rat, 789
Anoplura, two new species of, parasitic on *Rattus* in Thailand, 701
Ascaridia dissimilis tissue and post-tissue larval development of, compared with that of *A. galli*, 709
Ascaris and *Toxascaris*, notes on, and definition of *Baylisascaris*, gen.nov., 185
Ascaris suum, early migration of the larvae of, in white mice, 431
, in mice, use of, for the evaluation of drugs for the control of nematode larvae migrating in pulmonary tissues of animals, 465
Austrobilharzia terrigalensis, death of the cercariae of, during penetration of the skin of birds, 199

Boophilus microplus, feeding of the larvae nymphs and adults of, 415
, sequence of host-tissue changes in the feeding of, 441
, infection of, with *Babesia bigemina*, 663

Calliphora vicina, formation of the cuticular ridges in the pharynx of the larvae of, 683
Ceratophyllus gallinae, host-finding behaviour of, 403
Cercaria doricha, nutrition of the sporocysts of in the molluscan host, 355
Chevreuxia americana sp.nov., from the avocet, 831
Coccidia, parasitic in the California Banded King Snake, 349
Copepoda, parasitic on fishes in South India, description of, 9
Crepidostomum metoecus, and *C. farionis*, bionomics of, 307
Cyathocotyle bushiensis, electron microscope observations on non-specific phosphatase activity at the host–parasite interface of, 371
Cysticercus fasciolaris, morphology and carbohydrate content of the bladder wall of, 489
Cysticercus longicollis, histology and ultrastructure of, 497

Diplozoon paradoxum, occurrence of, in northern English waters and distribution of, in the gills of Cyprinidae, 61
Drugs, anticoccidial, evaluation of, by means of chick-embryo infections, 215

Echinoparyphium serratum, sp.nov., life-cycle of, encystment and *in vitro* cultivation of, 583
Eimeria acervulina amd *E. tenella*, parasitic in chickens, vitamin requirements of, 137
Eimeria praecox and *E. acervulina*, pathogenic effects of on the chicken, 691
Eimeria tenella, fine structure of the merozoite of, 561
, infections of chickens, effect of splenectomy on, 481
Entamoebae, five strains of, resembling *E. histolytica*, virulence of, to rats, 599
Entamoeba invadens, growth of an axenic strain of, in different media, 733

Fasciola hepatica, hatching mechanism of the egg of, 79
, infections of sheep, histopathology of, 129

Glossina palpalis, chromosomes of, 835
Glossina pallidipes, growth, longevity, and frequency of feeding of, 801

Habronematinae (Nematoda) from Australian birds, 745
Haemonchus contortus neurosecretory granules in the infective larvae of, 657
Haplometra cylindracea, tegument and associated structures of, 1
Heterodera and *Ditylenchus*, plant-parasitic nematodes, serological and morphological studies on, 879

Hymenolepis diminuta, effect of free dietary amino acids on the growth of, 37
, *H. microstoma* and *Moniezia expansa*, membrane (contact) digestion in, 535
, and *Moniliformis dubius*, explanation of the anterior migrations of, in the intestine of rats, 227

Inglisomema typos, gen.nov., sp.nov., nematode parasitic in the Australian Noisy Pitta, *Pitta versicolor*, 71
Ixodes pacificus, its life-history and occurrence, 893
Ixodes tatei, immature stages of, 165

Lymnaea natalensis, laboratory culture of, and production of the metacercariae of *Fasciola gigantica* in, 653

Macrolecithus papilliger sp.nov. (Digenea), from *Phoxinus phoxinus*, morphology, histochemistry and egg capsule formation of, 855
Meloidogyne javanica, undulatory locomotion of, 377
Merizocotyle sp., from *Raia undulata*, larval development of, 921
Microfilariae of *Dirofilaria*, *Loa* and five other species, action of serotonin on *in vivo*, 393
Mites, notoedrid and taeniocoptid, effect of on the skins of Southeast Asian bats, 515
Monogenea, development of the adhesive organs of, 149
Myxidium oviforme, a myxosporidan parasite of Irish salmon, 839

Nematode cuticle, naturally-occurring antibodies to, 221
Nematodes, from Australian waders, 277
Nippostrongylus brasiliensis, in rats, effect of a low protein and a glucose and filter paper diet on, 325
, kinetics of the establishment and expulsion of, in susceptible and immune rats, 625
, in the rat, passive protection with cells or antiserum against, 939
Nosomma monstrosum, description of the nymph and larva of, 461
Nycteribiidae, new species and records of, from Ethiopian, Oriental and Pacific hosts, 247

Oxyurid nematodes of mammals of Palawan, with descriptions of four new species of *Syphacia*, 845

Paucivitellosus fragilis (Trematoda), observations on the morphology and life-cycle of, 769
Perezia helminthorum, sp.nov., microsporidian hyperparasite of parasitic trematode larvae, 341
Philophthalmus gralli, aminopeptidase activity of the intra-molluscan stages of, 473
, formation, structure and histochemistry of the metacercarial cyst of, 605
Phyllobothrium piriei sp.nov. (Cestoda), from *Raja naevus*, habitat and mode of attachment of, 929
Polymorphus minutus, egg production of, and course of its infection in domestic ducks, 231
, histology of the uterine bell of, 671
Proteromonas, new species of, parasitic in an Indian lizard, 531
Protostrongylus africanus sp.nov., and other lung nematodes of antelopes in the Serengeti, 819
Psilotrema oligoon and other psilostome trematodes, observation on the life-cycle of, 171

Rhipicephalus appendiculatus, feeding behaviour of, on rabbits and *in vitro*, 715
, development of *Theileria parva*, in the salivary glands of, 725

Schistosoma mansoni, death of cercariae of, during penetration of the mammalian skin, 111
and *S. haematobium*, small spines on the egg shells of, 367
Spirurid nematodes, two species of, parasitic in Australian dasyurids, 75
Stephanurus dentatus (Nematoda), excretory system of, 907
Strongyloid egg output, the distribution of in sheep, 951

Strongyloides ratti, effect of temperature on the development and survival of the infective larvae of, 641

Taenia crassiceps, absorption of amino acids by the larvae of, 47
Taenia multiceps, carbohydrates in the tissues and coenurus fluid of the larva of, 619
Theileria parva, development of in the salivary glands of *Rhipicephalus appendiculatus*, 725
Toxocara canis, effect of superinfections on naturally infected puppies, 547
, immunological response of rabbits to, 91